# LIST OF CONTENTS


VOLUME 35 NUMBER 1 — 1990

COMMENTARY

**P. Friedrich** — Protein structure: the primary substrate for memory — 1

RESEARCH PAPERS

**P. Somogyi, N. Eshhar, V. I. Teichberg** and **J. D. B. Roberts** — Subcellular localization of a putative kainate receptor in Bergmann glial cells using a monoclonal antibody in the chick and fish cerebellar cortex — 9

**T. R. Insel, L. P. Miller** and **R. E. Gelhard** — The ontogeny of excitatory amino acid receptors in rat forebrain—I. *N*-Methyl-D-aspartate and quisqualate receptors — 31

**L. P. Miller, A. E. Johnson, R. E. Gelhard** and **T. R. Insel** — The ontogeny of excitatory amino acid receptors in the rat forebrain–II. Kainic acid receptors — 45

**A. T. Malouf, C. A. Robbins** and **P. A. Schwartzkroin** — Phaclofen inhibition of the slow inhibitory postsynaptic potential in hippocampal slice cultures: a possible role for the $GABA_B$-mediated inhibitory postsynaptic potential — 53

**L. Aniksztejn, C. Charriaut-Marlangue, M.-P. Roisin** and **Y. Ben-Ari** — Long-term potentiation in the rat hippocampus induced by the mast cell degranulating peptide: analysis of the release of endogenous excitatory amino acids and proteins — 63

**P. H. K. Lee** and **J.-S. Hong** — Ventral hippocampal dentate granule cell lesions enhance motor seizures but reduce wet dog shakes induced by mu opioid receptor agonist — 71

**L. Lopiano, C. de'Sperati** and **P. G. Montarolo** — Long-term habituation of the acoustic startle response: role of the cerebellar vermis — 79

**C. M. Booth, S. K. Kemplay** and **M. C. Brown** — An antibody to neural cell adhesion molecule impairs motor nerve terminal sprouting in a mouse muscle locally paralysed with botulinum toxin — 85

**S. Oka, K. Mori** and **Y. Watanabe** — Mammalian telencephalic neurons express a segment-specific membrane glycoprotein, telencephalin — 93

**C. A. Sasek, M. W. Wessendorf** and **C. J. Helke** — Evidence for co-existence of thyrotropin-releasing hormone, substance P and serotonin in ventral medullary neurons that project to the intermediolateral cell column in the rat — 105

**P. J. Coffey, V. H. Perry** and **J. N. P. Rawlins** — An investigation into the early stages of the inflammatory response following ibotenic acid-induced neuronal degeneration — 121

**Q. Pei, T. Zetterström** and **M. Fillenz** — Tail pinch-induced changes in the turnover and release of dopamine and 5-hydroxytryptamine in different brain regions of the rat — 133

**F. Crespi, J. C. Garratt, A. J. Sleight** and **C. A. Marsden** — *In vivo* evidence that 5-hydroxytryptamine (5-HT) neuronal firing and release are not necessarily correlated with 5-HT metabolism — 139

**T. Searl, C. Prior** and **I. G. Marshall** — The effects of L-vesamicol, an inhibitor of vesicular acetylcholine uptake, on two populations of miniature endplate currents at the snake neuromuscular junction — 145

| | | |
|---|---|---|
| **E. R. Lunn, M. C. Brown** and **V. H. Perry** | The pattern of axonal degeneration in the peripheral nervous system varies with different types of lesion | 157 |
| **M. Fabri** and **F. Conti** | Calcitonin gene-related peptide-positive neurons and fibers in the cat dorsal column nuclei | 167 |
| **J. Aberdeen, L. Corr, P. Milner, J. Lincoln** and **G. Burnstock** | Marked increases in calcitonin gene-related peptide-containing nerves in the developing rat following long-term sympathectomy with guanethidine | 175 |
| **Z. Gottesfeld, R. Christie, D. L. Felten** and **S. J. LeGrue** | Prenatal ethanol exposure alters immune capacity and noradrenergic synaptic transmission in lymphoid organs of the adult mouse | 185 |
| **A. W. Duggan, P. J. Hope, B. Jarrott, H.-G. Schaible** and **S. M. Fleetwood-Walker** | Release, spread and persistence of immunoreactive neurokinin A in the dorsal horn of the cat following noxious cutaneous stimulation. Studies with antibody microprobes | 195 |
| **J. D. DeCristofaro** and **E. F. La Gamma** | Bimodal regulation of adrenal opiate peptides by cholinergic mechanisms | 203 |
| **O. P. Mishra, M. Delivoria-Papadopoulos** and **L. C. Wagerle** | Anti-oxidant enzymes in the brain of newborn piglets during ischemia followed by reperfusion | 211 |

VOLUME 35 NUMBER 2 1990

COMMENTARY

| | | |
|---|---|---|
| **D. Paré, R. Curro'Dossi** and **M. Steriade** | Neuronal basis of the parkinsonian resting tremor: a hypothesis and its implications for treatment | 217 |

RESEARCH PAPERS

| | | |
|---|---|---|
| **O. Pompeiano, D. Manzoni, C. D. Barnes, G. Stampacchia** and **P. d'Ascanio** | Responses of locus coeruleus and subcoeruleus neurons to sinusoidal stimulation of labyrinth receptors | 227 |
| **P. Séguéla, K. C. Watkins, M. Geffard** and **L. Descarries** | Noradrenaline axon terminals in adult rat neocortex: an immunocytochemical analysis in serial thin sections | 249 |
| **J. E. Bradler** and **G. Barrionuevo** | Heterosynaptic correlates of long-term potentiation induction in hippocampal CA3 neurons | 265 |
| **D. G. Herrera** and **H. A. Robertson** | *N*-Methyl-D-aspartate receptors mediate activation of the c-fos proto-oncogene in a model of brain injury | 273 |
| **H. Perschak** and **M. Cuénod** | *In vivo* release of endogenous glutamate and aspartate in the rat striatum during stimulation of the cortex | 283 |
| **C.-S. Lin, K. Polsky, J. V. Nadler** and **B. J. Crain** | Selective neocortical and thalamic cell death in the gerbil after transient ischemia | 289 |
| **P. H. Boeijinga, C. M. A. Pennartz** and **F. H. Lopes da Silva** | Paired-pulse facilitation in the nucleus accumbens following stimulation of subicular inputs in the rat | 301 |
| **M. E. Olds** | Enhanced dopamine receptor activation in accumbens and frontal cortex has opposite effects on medial forebrain bundle self-stimulation | 313 |

| | | |
|---|---|---|
| **M. Ruberg, W. Mayo, A. Brice, C. Duyckaerts, J. J. Hauw, H. Simon, M. LeMoal** and **Y. Agid** | Choline acetyltransferase activity and [$^3$H]vesamicol binding in the temporal cortex of patients with Alzheimer's disease, Parkinson's disease, and rats with basal forebrain lesions | 327 |
| **A. M. Cooper** and **A. Cowey** | Development and retraction of a crossed retinal projection to the inferior colliculus in neonatal pigmented rats | 335 |
| **A. M. Cooper** and **A. Cowey** | Retinal topography of the neonatal crossed aberrant exuberant projection to the inferior colliculus in the pigmented rat | 345 |
| **A. K. Mohammed, O. Magnusson, J. Maehlen, F. Fonnum, E. Norrby, M. Schultzberg** and **K. Kristensson** | Behavioural deficits and serotonin depletion in adult rats after transient infant nasal viral infection | 355 |
| **T. E. Milner** and **M. M. Ijaz** | The effect of accuracy constraints on three-dimensional movement kinematics | 365 |
| **M. R. Celio** | Calbindin D-28k and parvalbumin in the rat nervous system | 375 |

VOLUME 35 NUMBER 3 1990

COMMENTARY

| | | |
|---|---|---|
| **F. Valtorta, R. Fesce, F. Grohovaz, C. Haimann, W. P. Hurlbut, N. Iezzi, F. Torri Tarelli, A. Villa** and **B. Ceccarelli** | Neurotransmitter release and synaptic vesicle recycling | 477 |

RESEARCH PAPERS

| | | |
|---|---|---|
| **H. E. Scharfman** and **P. A. Schwartzkroin** | Responses of cells of the rat fascia dentata to prolonged stimulation of the perforant path: sensitivity of hilar cells and changes in granule cell excitability | 491 |
| **H. E. Scharfman** and **P. A. Schwartzkroin** | Consequences of prolonged afferent stimulation of the rat fascia dentata: epileptiform activity in area CA3 of hippocampus | 505 |
| **S. A. Mills, S. Razani-Boroujerdi, C. E. Reigel, P. C. Jobe** and **D. D. Savage** | Decrease in hippocampal [$^3$H]vinylidene kainic acid binding in genetically epilepsy-prone rats | 519 |
| **D. T. Ross** and **F. F. Ebner** | Thalamic retrograde degeneration following cortical injury: an excitotoxic process? | 525 |
| **K. Kitagawa, M. Matsumoto, T. Oda, M. Niinobe, R. Hata, N. Handa, R. Fukunaga, Y. Isaka, K. Kimura, H. Maeda, K. Mikoshiba** and **T. Kamada** | Free radical generation during brief period of cerebral ischemia may trigger delayed neuronal death | 551 |
| **C. Iadecola, S. P. Arneric, H. D. Baker, J. Callaway** and **D. J. Reis** | Maintenance of local cerebral blood flow after acute neuronal death: possible role of non-neuronal cells | 559 |

| | | |
|---|---|---|
| **G. Mengod, H. Nguyen, H. Le, C. Waeber, H. Lübbert** and **J. M. Palacios** | The distribution and cellular localization of the serotonin 1C receptor mRNA in the rodent brain examined by *in situ* hybridization histochemistry. Comparison with receptor binding distribution | 577 |
| **G. E. Duncan, R. G. Kaldas, K. E. Mitra, G. R. Breese** and **W. E. Stumpf** | High activity neurons in the reticular formation of the medulla oblongata: a high-resolution autoradiographic 2-deoxyglucose study | 593 |
| **I. Torres-Aleman, F. Naftolin** and **R. J. Robbins** | Trophic effects of insulin-like growth factor-I on fetal rat hypothalamic cells in culture | 601 |
| **E. Carstens, J. Leah, J. Lechner** and **M. Zimmermann** | Demonstration of extensive brainstem projections to medial and lateral thalamus and hypothalamus in the rat | 609 |
| **M. T. Wallace, A. J. Ricciuti** and **E. R. Gruberg** | Nucleus isthmi: its contribution to tectal acetylcholinesterase and choline acetyltransferase in the frog *Rana pipiens* | 627 |
| **S. Biffo, M. Grillo** and **F. L. Margolis** | Cellular localization of carnosine-like and anserine-like immunoreactivities in rodent and avian central nervous system | 637 |
| **J. W. McDonald, J. B. Penney, M. V. Johnston** and **A. B. Young** | Characterization and regional distribution of strychnine-insensitive [$^3$H]glycine binding sites in rat brain by quantitative receptor autoradiography | 653 |
| **C. F. Coop, N. McNaughton, K. Warnock** and **R. Laverty** | Effects of ethanol and Ro 15-4513 in an electrophysiological model of anxiolytic action | 669 |
| **A. D. McClellan** | Locomotor recovery in spinal-transected lamprey: regenerated spinal coordinating neurons and mechanosensory inputs couple locomotor activity across a spinal lesion | 675 |
| **U. Windhorst, T. Kokkoroyiannis, Y. Laouris** and **J. Meyer-Lohmann** | Higher-order non-linear phenomena in Renshaw cell responses to random motor axon stimulation | 687 |
| **A. Vaccari, Z. L. Rossetti, G. de Montis, E. Stefanini, E. Martino** and **G. L. Gessa** | Neonatal hypothyroidism induces striatal dopaminergic dysfunction | 699 |
| **I. Locklear, D. L. Feeback** and **R. A. Brumback** | Metabolic myopathy produced by acute inhibition of glyceraldehyde-3-phosphate dehydrogenase with *ortho*-iodosobenzoic acid | 707 |
| **C. B. Watt** and **E. A. Wilson** | Synaptic organization of serotonin-like immunoreactive amacrine cells in the larval tiger salamander retina | 715 |
| **C. Kennedy** and **G. Henderson** | Inhibition of potassium currents by the sigma receptor ligand (+)-3-(3-hydroxyphenyl)-*N*-(1-propyl)piperidine in sympathetic neurons of the mouse isolated hypogastric ganglion | 725 |